



ROTOR SPECIFICATIONS

Type	Fixed Angle
Material	Aluminum
Capacity	6 x 30 mL
Maximum Speed	50,000 rpm
Tube Dimensions Ø x L	26 x 96 mm
Angle	35°
K Factor	60.7
Net Weight	2.0 kg/4.4 lbs
Warranty	5 years

	RCF	RADIUS
Maximum	209,438 xg	75.0 mm
Average	162,244 xg	58.1 mm
Minimum	115,051 xg	41.2 mm

ROTOR AND ACCESSORIES ORDERING INFORMATION

S50-A Rotor Package includes:

Description	Cat. No.
S50-A Rotor ¹	45540
25.0 mL PC Thick-Walled Tubes (qty. 2 pkg of 10)	75000610
Large O-ring for Cover (qty. 2)	8062014
Small O-ring for Cover (qty. 2)	8062285
Rotor Holding Fixture	45266
Rotor Stand	45357
Tweezers	452701
Tool Box (B)	320717
Lubricant	61556
Vacuum Grease	65937
Instruction Manual	45735

Accessories:

Description	Cat. No.
Rotor Stand	45357
Cover Opener	45173

¹ Rotor compatible only with Thermo Scientific Sorvall MTX-150 and MX Series micro-ultracentrifuges.

LABWARE ORDERING INFORMATION

Tube Vol. (mL)	Vol. Fill (mL)	Description	Cat. No.	Qty. /Pkg.	Tubes /Rotor	Max. Speed (rpm)	Max. RCF (xg)	Dims ØxL (mm)	REQUIRED TUBE CLOSURES, ADAPTERS, TOOLS & ACCESSORIES			
									Type	Cat. No.	Qty. /Pkg.	Description
30.0	31.0	PA Re-Seal Tube	75000514	50	6	50,000	209,438	26 x 76	Closure	75000521	1	26 mm Al Crown ²
									Closure	45307	10	Stainless Steel Plug
									Tool	45308	1	Wrench
									Tool	45309	1	Tube Removal Tool
									Tool	45534	1	Tube Vise
25.0	19.8	PC Thick-Walled Tube	75000610	10	6	50,000	209,438	26 x 96	—	—	—	—
25.0	19.8	PA Thick-Walled Tube	75000611	10	6	30,000	75,398	26 x 96	—	—	—	—
20.0	20.3	PC Bottle Assembly	75000612	6	6	50,000	209,438	26 x 80	—	—	—	—

supplyLAB

www.supplylab.pt
geral@supplylab.pt

Cacém Park - Edifício 9
Estrada de Paço de Arcos nº88
2739-512 Agualva Cacém
T +(351) 21 4278700
F +(351) 21 4278709

² Must order one crown for each place in the rotor.

© 2010 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.

For more information, please visit
www.thermoscientific.com/rotors

Thermo
SCIENTIFIC